

ICD-9-CM to ICD-10-CM DIAGNOSIS CODE MAPPING



Central Valley Public Health

ICD-9-CM (Top 35)	ICD-10-CM	ICD-10-CM Description	COMMENTS
V01.6: Contact with or exposure to venereal disease	Z20.2	Contact with and (suspected) exposure to infections with a predominantly sexual mode of transmission	
V72.42: Pregnancy examination or test, positive result	Z32.01	Encounter for pregnancy test, result positive	
784.0: Headache	R51	Headache	
401.9: Unspecified essential hypertension	I10	Essential (primary) hypertension	<i>Includes: hypertension (arterial) (benign) (essential) (malignant) (primary) (systemic).</i> ICD-10 no longer makes the distinction between benign and malignant hypertension. Only one code exists in ICD-10 for hypertension.
616.10: Vaginitis and vulvovaginitis, unspecified	N76.0	Acute vaginitis	<i>Includes: Acute vulvovaginitis, Vaginitis NOS, Vulvovaginitis NOS.</i> Vaginitis and vulvitis are not coded separately; if both conditions exist, select 2 codes. Concepts of acute versus subacute and chronic have been added.
	N76.1	Subacute and chronic vaginitis	
	N76.2	Acute vulvitis	
	N76.3	Subacute and chronic vulvitis	
112.1: Candidiasis of vulva and vagina	B37.3	Candidiasis of vulva and vagina	
611.71: Mastodynia	N64.4	Mastodynia	
611.72: Lump or mass in breast	N63	Unspecified lump in breast	
626.4: Irregular menstrual cycle	N92.5	Other specified irregular menstruation	
	N92.6	Irregular menstruation, unspecified	<i>Includes: Irregular bleeding NOS, Irregular periods NOS.</i> Nature of irregularity should be specified for potentially higher specificity code selection (i.e. as excessive bleeding).
704.8: Other specified diseases of hair and hair follicles (folliculitis)	L73.9	Follicular disorder, unspecified	
300.00: Anxiety state, unspecified	F41.9	Anxiety disorder, unspecified	<i>Includes: anxiety NOS.</i> Unspecified use of 'anxiety' may only be classified as 'anxiety disorder' in ICD-10.
599.0: Urinary tract infection, site not specified	N39.0	Urinary tract infection, site not specified	Site should be specified, if known (i.e. as cystitis, urethritis). Use additional code to identify infectious agent, if known.

622.10: Dysplasia of cervix, unspecified	N87.9	Dysplasia of cervix uteri, unspecified	For most appropriate code selection, the severity of cervical dysplasia should be specified.
622.11: Mild dysplasia of cervix	N87.0	Mild cervical dysplasia	<i>Cervical intraepithelial neoplasia I</i>
622.12: Moderate dysplasia of cervix	N87.1	Moderate cervical dysplasia	<i>Cervical intraepithelial neoplasia II</i>
795.00: Abnormal glandular Papanicolaou smear of cervix	R87.619	Unspecified abnormal cytological findings in specimens from cervix uteri	If abnormal findings may be specified as one of the below listed codes, a higher level specificity code should be selected.
	R87.610	Atypical squamous cells of undetermined significance on cytologic smear of cervix (ASC-US)	
	R87.611	Atypical squamous cells cannot exclude high grade squamous intraepithelial lesion on cytologic smear of cervix (ASC-H)	
	R87.612	Low grade squamous intraepithelial lesion on cytologic smear of cervix (LGSIL)	
	R87.613	High grade squamous intraepithelial lesion on cytologic smear of cervix (HGSIL)	
	R87.614	Cytologic evidence of malignancy on smear of cervix	
	R87.618	Other abnormal cytological findings on specimens from cervix uteri	
078.11: Condyloma acuminatum	A63.0	Anogenital (venereal) warts	
098.0: Acute gonococcal infection of lower genitourinary tract	A54.9	Gonococcal infection, unspecified	In ICD-10, if gonorrhoea is not specified to be of the lower genitourinary tract, an unspecified code must be selected. In ICD-9 infection of the lower genitourinary tract was the default code selection.
	A45.09	Other gonococcal infection of lower genitourinary tract	
625.3: Dysmenorrhoea	N94.6	Dysmenorrhoea, unspecified	Condition should be indicated as primary or secondary.
	N94.4	Primary dysmenorrhoea	
	N94.5	Secondary dysmenorrhoea	
706.1: Other acne	L70.9	Acne, unspecified	Unique code selections exist for acne vulgaris, acne conglobata, acne varioliformis, acne tropica, infantile acne, and acne excoriee des jeunes filles.
	L70.8	Other acne	
278.00: Obesity, unspecified	E66.9	Obesity, unspecified	
	E66.8	Other obesity	
	E66.09	Other obesity due to excess calories	
626.0: Absence of menstruation	N91.2	Amenorrhoea, unspecified	Condition should be indicated as primary or secondary.
	N91.0	Primary amenorrhoea	

	N91.1	Secondary amenorrhea	
099.4: Unspecified nongonococcal urethritis	N34.1	Nonspecific urethritis	
V25.01: Prescription of oral contraceptives	Z30.011	Encounter for initial prescription of contraceptive pills	
V25.02: Initiation of other contraceptive measures	Z30.018	Encounter for initial prescription of other contraceptives	
	Z30.013	Encounter for initial prescription of injectable contraceptive	
V25.03: Encounter for emergency contraceptive counseling and prescription	Z30.012	Encounter for prescription of emergency contraception	
V25.04: Counseling and instruction in natural family planning to avoid pregnancy	Z30.02	Counseling and instruction in natural family planning to avoid pregnancy	
V25.09: Other general counseling and advice for contraceptive management	Z30.09	Encounter for other general counseling and advice on contraception	
054.12: Herpetic ulceration of vulva	A60.04	Herpesviral vulvovaginitis	
305.1: Tobacco use disorder	F17.210	Nicotine dependence, cigarettes, uncomplicated	Tobacco dependence defaults to 'uncomplicated'. If remission or any complications are present, condition should be reflected with one of the below codes.
	F17.211	Nicotine dependence, cigarettes, in remission	Additional specificity exists based on the form of tobacco being used (i.e. cigarettes, chewing tobacco, etc.). Documentation must reflect the form of tobacco.
	F17.213	Nicotine dependence, cigarettes, with withdrawal	
	F17.218	Nicotine dependence, cigarettes, with other nicotine-induced disorders	
625.9: Unspecified symptom associated with female genital organs (pelvic pain)	R10.2	Pelvic and perineal pain	A unique code exists in ICD-10 for pelvic pain.
V72.31: Routine gynecological examination	Z01.411	Encounter for gynecological examination (general) (routine) with abnormal findings	Added concept of whether abnormal findings are present. Use additional code(s) to identify abnormal findings when present.
	Z01.419	Encounter for gynecological examination (general) (routine) without abnormal findings	
V25.41: Surveillance of previously prescribed contraceptive pill	Z30.41	Encounter for surveillance of contraceptive pills	
V25.42: Surveillance of Intrauterine contraceptive device	Z30.431	Encounter for routine checking of intrauterine contraceptive device	Please note, unique codes exist in both ICD-9 and ICD-10 for insertion and removal. This code should be used for IUD checks only.
V74.5: Screening for venereal disease	Z11.3	Encounter for screening for infections with a predominantly sexual mode of transmission	Excludes: screening for HIV, and screening for HPV.