

ICD-9-CM to ICD-10-CM DIAGNOSIS CODE MAPPING



Central Valley Public Health: Women's Way

ICD-9-CM (Top 35)	ICD-10-CM	ICD-10-CM Description	COMMENTS
V10.3: Personal history of malignant neoplasm of breast	Z85.3	Personal history of malignant neoplasm of breast	
V10.41: Personal history of malignant	Z85.41	Personal history of malignant neoplasm of cervix uteri	
V13.22: Personal history of cervical dysplasia	Z87.410	Personal history of cervical dysplasia	
V16.3: Family history of malignant neoplasm of breast	Z83.0	Family history of malignant neoplasm of breast	
V67.01: Follow-up vaginal pap smear	Z01.42	Encounter for cervical smear to confirm findings of recent normal smear following initial abnormal smear	Please see all available options. Concept has been altered.
	Z08	Encounter for follow-up examination after completed treatment for malignant neoplasm	
	Z09	Encounter for follow-up examination after completed treatment for conditions other than malignant neoplasm	
	Z12.4	Encounter for screening for malignant neoplasm of cervix	
	Z01.411	Encounter for gynecological examination (general) (routine) with abnormal findings	Use this code if pap smear is a part of a routine gynecological examination.
	Z01.419	Encounter for gynecological examination (general) (routine) without abnormal findings	Use this code if pap smear is a part of a routine gynecological examination.
V70.0: Routine general medical examination at a health care facility	Z00.00	Encounter for general adult medical examination without abnormal findings	Added concept of whether abnormal findings are present. Use additional code(s) to identify abnormal findings when present.
	Z00.01	Encounter for general adult medical examination with abnormal findings	
V72.31: Routine gynecological examination	Z01.411	Encounter for gynecological examination (general) (routine) with abnormal findings	Added concept of whether abnormal findings are present. Use additional code(s) to identify abnormal findings when present.
	Z01.419	Encounter for gynecological examination (general) (routine) without abnormal findings	
V72.32: Encounter for Papanicolaou cervical smear to confirm findings of recent normal smear following initial abnormal smear	Z01.42	Encounter for cervical smear to confirm findings of recent normal smear following initial abnormal smear	

V73.81: Screening for Human papillomavirus [HPV]	Z11.51	Encounter for screening for human papillomavirus (HPV)	
V76.10: Screening for malignant neoplasm of breast	Z12.39	Encounter for other screening for malignant neoplasm of breast	
	Z12.31	Encounter for screening mammogram for malignant neoplasm of breast	If type of screening is mammogram, Z12.31 should be used.
V76.11: Screening mammogram for high-risk patient	Z12.31	Encounter for screening mammogram for malignant neoplasm of breast	Screening code no longer specifies whether the patient is high risk in ICD-10. If a personal or family history of neoplasm exists, it should be coded additionally with the appropriate history code.
V76.12: Other screening mammogram	Z12.31	Encounter for screening mammogram for malignant neoplasm of breast	
V76.19: Other screening breast examination	Z12.39	Encounter for other screening for malignant neoplasm of breast	This code should only be used if the breast condition being screened for is malignancy.
V76.2: Screening for malignant neoplasm of the cervix	Z12.4	Encounter for screening for malignant neoplasm of cervix	When pap smear is a part of a routine gynecological examination, use codes Z01.411 or Z01.419.
V76.47: Screening for malignant neoplasm of the vagina	Z12.72	Encounter for screening for malignant neoplasm of vagina	
V88.01: Acquired absence of both cervix and uterus	Z90.710	Acquired absence of both cervix and uterus	
V88.02: Acquired absence of uterus with remaining cervical stump	Z90.711	Acquired absence of uterus with remaining cervical stump	
V88.03: Acquired absence of cervix with remaining uterus	Z90.712	Acquired absence of cervix with remaining uterus	
793.80: Abnormal mammogram, unspecified	R92.8	Other abnormal and inconclusive findings on diagnostic imaging of breast	
	R92.2	Inconclusive mammogram	
793.81: Mammographic microcalcification	R92.0	Mammographic microcalcification found on diagnostic imaging of breast	Calcifications on mammogram should be specified as microcalcifications to report code R92.0. A unique code now exists for 'calcifications' found on mammogram.
	R92.1	Mammographic calcification found on diagnostic imaging of breast	
610.0: Solitary cyst of breast	N60.01	Solitary cyst of right breast	Laterality has been added.
	N60.02	Solitary cyst of left breast	

611.0: Inflammatory disease of breast	N61	Inflammatory disorders of breast	<i>Includes: abscess of areola, abscess of breast, mastitis, infective mastitis, carbuncle of breast.</i>
611.72: Lump or mass in breast	N63	Unspecified lump in breast	<i>Includes: nodule(s) in breast NOS</i>
622.10: Dysplasia of cervix, unspecified	N87.9	Dysplasia of cervix uteri, unspecified	For most appropriate code selection, the severity of cervical dysplasia should be specified.
622.11: Mild dysplasia of cervix	N87.0	Mild cervical dysplasia	<i>Cervical intraepithelial neoplasia I</i>
622.12: Moderate dysplasia of cervix	N87.1	Moderate cervical dysplasia	<i>Cervical intraepithelial neoplasia II</i>
622.2: Leukoplakia of cervix (uteri)	N88.0	Leukoplakia of cervix uteri	
623.0: Dysplasia of vagina	N89.0	Mild vaginal dysplasia	Levels of severity may be captured in code selection in ICD-10.
	N89.1	Moderate vaginal dysplasia	
	N89.3	Dysplasia of vagina, unspecified	
626.6: Metrorrhagia	N92.1	Excessive and frequent menstruation with irregular cycle	
627.1: Postmenopausal bleeding	N95.0	Postmenopausal bleeding	
795.08: Unsatisfactory cervical cytology smear	R87.615	Unsatisfactory cytologic smear of cervix	
785.6: Enlargement of lymph nodes	R59.0	Localized enlarged lymph nodes	
	R59.1	Generalized enlarged lymph nodes	
	R59.9	Enlarged lymph nodes, unspecified	
795.00: Abnormal glandular Papanicolaou smear of cervix	R87.619	Unspecified abnormal cytological findings in specimens from cervix uteri	If abnormal findings may be specified as one of the below listed codes, a higher level specificity code should be selected.
	R87.610	Atypical squamous cells of undetermined significance on cytologic smear of cervix (ASC-US)	
	R87.611	Atypical squamous cells cannot exclude high grade squamous intraepithelial lesion on cytologic smear of cervix (ASC-H)	
	R87.612	Low grade squamous intraepithelial lesion on cytologic smear of cervix (LGSIL)	
	R87.613	High grade squamous intraepithelial lesion on cytologic smear of cervix (HGSIL)	
	R87.614	Cytologic evidence of malignancy on smear of cervix	
	R87.618	Other abnormal cytological findings on specimens from cervix uteri	

174.9: Malignant neoplasm of breast (female), unspecified	C50.011	Malignant neoplasm of nipple and areola, right female breast	Concept of laterality has been added. Unspecified laterality option excluded. 174.9 by definition reflects an unspecified site: question appropriateness of this code reported at such high rates.
	C50.012	Malignant neoplasm of nipple and areola, left female breast	
	C50.111	Malignant neoplasm of central portion of right female breast	
	C50.112	Malignant neoplasm of central portion of left female breast	
	C50.211	Malignant neoplasm of upper-inner quadrant of right female breast	
	C50.212	Malignant neoplasm of upper-inner quadrant of left female breast	
	C50.311	Malignant neoplasm of lower-inner quadrant of right female breast	
	C50.312	Malignant neoplasm of lower-inner quadrant of left female breast	
	C50.411	Malignant neoplasm of upper-outer quadrant of right female breast	
	C50.412	Malignant neoplasm of upper-outer quadrant of left female breast	
	C50.511	Malignant neoplasm of lower-outer quadrant of right female breast	
	C50.512	Malignant neoplasm of lower-outer quadrant of left female breast	
	C50.611	Malignant neoplasm of axillary tail of right female breast	
	C50.612	Malignant neoplasm of axillary tail of left female breast	
	C50.811	Malignant neoplasm of overlapping sites of right female breast	
	C50.812	Malignant neoplasm of overlapping sites of left female breast	
	C50.911	Malignant neoplasm of unspecified site of right female breast	
C50.912	Malignant neoplasm of unspecified site of left female breast		
180.9: Malignant neoplasm of Cervix uteri, unspecified	C53.9	Malignant neoplasm of cervix uteri, unspecified	Site should be specified to highest extent possible.
	C53.0	Malignant neoplasm of endocervix	
	C53.1	Malignant neoplasm of exocervix	

	C53.8	Malignant neoplasm of overlapping sites of cervix uteri	
--	--------------	---	--